

2000mg Broad Spectrum Tincture (Lot 8304/752-5073B)



CBD Lion
750 Tower Rd Suite B
Mundelein, Illinois 60060
(833) 223-2329



Order ID#: 20210408-759
Lab code#: LC-20210408-1929
Product type: Tincture
Unit amt. (mL): 30
Lot number: 8304/752-5073B
Batch number: 2153

Sample date: 8-Apr-2021
Date received: 12-Apr-2021
Completed: 15-Apr-2021
Report expires: 15-Apr-2022

CANNABINOIDS

Analysis Batch: WO-21041210
Analysis Date: Tuesday, April 13, 2021


Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33

| Analyte | % ^a | mg/mL | mg/unit |
|---------------|----------------|--------------|-------------|
| THCA-A | ND | ND | ND |
| Δ9-THC | ND | ND | ND |
| CBDA | ND | ND | ND |
| CBD | 6.94 | 69.38 | 2081 |
| CBN | 0.114 | 1.136 | 34.08 |
| CBDV | 0.0373 | 0.3730 | 11.19 |
| Δ8-THC | ND | ND | ND |
| THCV | ND | ND | ND |
| CBG | ND | ND | ND |
| CBGA | ND | ND | ND |
| CBC | 0.141 | 1.413 | 42.39 |
| Total: | 7.23 | 72.30 | 2169 |

Total THC^b
ND
Pass

Total CBD^c
2081 mg

TOTAL^d
2169 mg



^a Detection Level = 0.0075% by weight.

^b Total THC is calculated as %THC + (%THCA × 0.877).

^c CBD is calculated as CBD + (CBDA × 0.877).

^d The absolute sum of all cannabinoids above the level of detection.

Comments:

None.

Authorization



Steven Perez, Laboratory Director

Approval Date: 15-Apr-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -